


1) OWNER:  
 Person having well drilled St Peters Lutheran Church Anden Address Rt 2 Bolivar Texas  
 (Name) (Street or RFD) (City) (State)  
 Landowner (Church) St Peters Luth Church Anden Address Rt 2 Bolivar Texas  
 (Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:  
 County Galveston 1/4 miles in West direction from Anden Texas  
 (N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks, highway number, etc.\*



Give legal location with distances and directions from adjacent sections or survey lines.

Labor \_\_\_\_\_ League \_\_\_\_\_

Block \_\_\_\_\_ Survey \_\_\_\_\_

Abstract No. \_\_\_\_\_

(NW¼ NE¼ SW¼ SE¼) of Section \_\_\_\_\_

3) TYPE OF WORK (Check):  
 New Well ☒ Deepening \_\_\_\_\_  
 Reconditioning \_\_\_\_\_ Plugging \_\_\_\_\_  
 4) PROPOSED USE (Check):  
 Domestic ☒ Industrial \_\_\_\_\_ Municipal \_\_\_\_\_  
 Irrigation \_\_\_\_\_ Test Well \_\_\_\_\_ Other \_\_\_\_\_  
 5) TYPE OF WELL (Check):  
 Rotary ☒ Driven \_\_\_\_\_ Dug \_\_\_\_\_  
 Cable \_\_\_\_\_ Jetted \_\_\_\_\_ Bored \_\_\_\_\_

6) WELL LOG:  
 Diameter of hole 6 1/2 in. Depth drilled 96 ft. Depth of completed well 96 ft. Date drilled 11-1-72  
 All measurements made from 1 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0 - 22		Gray Clay w/st. Caliche
22 - 40		Red shale
40 - 45		Sand
45 - 52		Clay
52 - 62		Sand
62 - 64		Clay
64 - 70		Sand
70 - 80		Clay
80 - 85		Sand
85 - 91		Soft Sandstone
91 - 96		Sand

(Use reverse side if necessary)

7) COMPLETION (Check):  
 Straight wall ☒ Gravel packed \_\_\_\_\_ Other \_\_\_\_\_  
 Under reamed \_\_\_\_\_ Open Hole \_\_\_\_\_

8) WATER LEVEL:  
 Static level 42 ft. below land surface Date 11-1-72  
 Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
 Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft. below land surface.

9) Casing:  
 Type: Old \_\_\_\_\_ New ☒ Steel \_\_\_\_\_ Plastic \_\_\_\_\_ Other \_\_\_\_\_  
 Cemented from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4"	1 1/2 ABOVE	80	Sch # 40

10) SCREEN: Sawed  
 Type \_\_\_\_\_  
 Perforated \_\_\_\_\_ Slotted \_\_\_\_\_  

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
4	80	90	.026

11) WELL TESTS:  
 Was a pump test made? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, by whom? \_\_\_\_\_  
 Yield: \_\_\_\_\_ gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
Jetted 60 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.  
 Artesian flow \_\_\_\_\_ gpm  
 Temperature of water \_\_\_\_\_

12) WATER QUALITY:  
 Was a chemical analysis made? Yes \_\_\_\_\_ No \_\_\_\_\_  
 Did any strata contain undesirable water? Yes \_\_\_\_\_ No \_\_\_\_\_  
 Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Roy C. Borgfeld Water Well Drillers Registration No. 1342  
 (Type or Print)  
 ADDRESS Rt 7 Box 270 Victoriz Texas  
 (Street or RFD) (City) (State)  
 (Signed) Roy C. Borgfeld Borgfeld's Water Well Drilling

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED  
FEB 26 1973  
Central Records  
Lake Water Development Board

RECEIVED  
DEC 1



Attention Owner:  
Confidentiality Privilege Notice  
on reverse side of owner's copy.

# Texas Department of Licensing and Regulation

Water Well Driller/Pump Installer Section  
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616  
Toll free (800)603-9202

This form must be completed  
and filed with the department  
and owner within 60 days  
upon completion of the well.

Email address: [water.well@license.state.tx.us](mailto:water.well@license.state.tx.us) Web address: [www.license.state.tx.us](http://www.license.state.tx.us)

## WELL REPORT

### A. WELL IDENTIFICATION AND LOCATION DATA

#### 1) OWNER

Name: MAR-GB Ranch LLC Address: 1324 Cortland St City: Houston State: Tx Zip: 77008

#### 2) WELL LOCATION

Well # or # of wells drilled: 1 County: Goliad Physical Address: 1338 E FM 1961 City: Goliad

#### 3) Type of Work

☒ New Well ☐ Reconditioning  
☐ Replacement ☐ Deepening

Lat. N 28° 51.553'

Long. W 077° 20.934'

Grid # NO MAP

4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic ☐ Extraction  
☐ Industrial ☐ Irrigation ☐ Injection ☐ Closed-Loop Geothermal ☐ De-watering ☐ Test well  
☐ Rig Supply ☐ Stock ☐ Public Supply - If Public Supply, were plans approved? ☐ Yes ☐ No

#### 6) Drilling Date

Started 4.5.11

Completed 4.8.11

#### Diameter of Hole

Dia. (in.) From (ft) To (ft)

8 3/4 Surface 0 211

#### 7) Drilling Method (check)

☐ Driven ☐ Air Rotary ☒ Mud Rotary  
☐ Bored ☐ Air Hammer ☐ Cable Tool

☒ Jetted ☐ Hollow Stem Auger  
☐ Reverse Circulation  
☐ Other

#### 8) Borehole Completion

☐ Open Hole ☐ Straight Wall  
☒ Under-reamed ☐ Gravel Packed ☐ Other DIS. Sack  
Gravel packed interval from: \_\_\_\_\_ ft. to: \_\_\_\_\_ ft. Size: \_\_\_\_\_

#### Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft) From To	Cage Casing Screen
<u>5</u>	<u>N</u>	<u>SDR 21</u>	<u>0</u>	<u>211</u>
<u>3</u>	<u>N</u>	<u>Sch 40</u>	<u>209</u>	<u>211</u>

#### 9) Annular Seal Data: i.e. from 0 ft to 100 ft #sacks & material

from 0 ft. to 211 ft. #sacks & material 35 cement

from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. #sacks & material \_\_\_\_\_

from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. #sacks & material \_\_\_\_\_

Method Used hand mixed Performed By Diggs

Distance to septic field or other concentrated contamination IND. WEL.

Distance to Property Line 136 ft Method \_\_\_\_\_

Verified: Diggs

#### 10) Surface Completion (If steel cased, leave blank)

☐ Surface Slab Installed ☒ Surface Sleeve Installed  
☐ Pitless Adapter Used ☐ Alternative Procedure Used

#### 11) Water Level

Static level 57 ft. Date: 4.8.11

Artesian Flow \_\_\_\_\_ gpm

#### 12) Packers:

Type Depth Type Depth

K-Packer 208' K-Packer 210'

#### 13) Plugged

☐ Well plugged within 48 hours

Casing left in well: \_\_\_\_\_ Cement/Bentonite placed in well: \_\_\_\_\_

From (ft) To (ft) From (ft) To (ft) # Sacks & Material used

3 235 3 235 60 cement

well 15 cemented inside

\* out top to bottom

#### 14) Type Pump

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder

Other \_\_\_\_\_

Depth to pump bowls, cylinder, jet, etc., \_\_\_\_\_ ft.

#### 15) Water Test

Type test ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated

Yield: 35 gpm with 30 ft. drawdown after 1 hrs.

#### 16) Water Quality

Type of water: Small Depth of Strata: 235' Was a chemical analysis made? ☐ Yes ☒ No

Did you knowingly penetrate a strata which contains undesirable constituents? ☐ Yes ☐ No If yes, Continue:

Check One: ☐ Naturally poor-quality groundwater - type \_\_\_\_\_ ☐ Hydrocarbons (i.e. gas, oil, etc.)

☐ Hazardous material/waste contamination encountered ☐ Other (describe) sulphur - rotten egg smell

I certify that while drilling, deepening, or otherwise altering the above described well, undesirable water or constituents were encountered and the landowner was informed that such well must be completed or plugged in such a manner as to avoid injury or pollution.

By signing this well report, I certify that I drilled or supervised the drilling of this well and that each and all of the statements herein are true and correct.

Company & Individual's Name: (type or print) Diggs Drilling Co J D Diggs Lic. No.: 2038 A

Address: PO Box 63 City: La Grange State: Tx Zip: 78945

Signature: J D Diggs Date: 4.26.11 Signature: \_\_\_\_\_

Licensed Driller/Pump Installer \_\_\_\_\_ Apprentice \_\_\_\_\_



**STATE OF TEXAS PLUGGING REPORT for Tracking #74599**

Owner:	u.e.c.	Owner Well #:	two
Address:	138 southmarket goliad , TX 77963	Grid #:	79-14-1
Well Location:	1340 e. f.m. 1961 goliad , TX 77963	Latitude:	28° 51' 44" N
Well County:	Goliad	Longitude:	097° 20' 57" W
		GPS Brand Used:	garmin
Well Type:	Water		

**HISTORICAL DATA ON WELL TO BE PLUGGED**

Original Well Driller: n/a  
Driller's License Number  
of Original Well Driller: n/a  
Date Well Drilled: No Data  
Well Report Tracking  
Number: n/a  
Diameter of Borehole: n/a inches  
Total Depth of Borehole: n/a feet

Date Well Plugged: 7/25/2011  
Person Actually  
Performing Plugging  
Operation: david oeltjen  
License Number of  
Plugging Operator: 54476  
Plugging Method: Tremmie pipe cement from bottom to top.  
Plugging Variance #: No Data  
Casing Left Data: 1st Interval: 4 inches diameter, From -2 ft to 90 ft  
2nd Interval: No Data  
3rd Interval: No Data  
Cement/Bentonite Plugs  
Placed in Well: 1st Interval: From -2 ft to 90 ft; Sack(s)/type of cement used: 11 portland cement  
2nd Interval: No Data  
3rd Interval: No Data  
4th Interval: No Data  
5th Interval: No Data

Certification Data: The plug installer certified that the plug installer plugged this well (or the well was plugged under the plug installer's direct supervision) and that each and all of the statements herein are true and correct. The plug installer understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: leeper w.w.  
980 bottom rd  
victoria , TX 77905

Plug Installer License Number: **54476**

Licensed Plug Installer Signature: **david oeltjen**

Registered Plug Installer Apprentice Signature: **emil zmeskal**

Apprentice Registration Number: **57717**

Plugging Method Comments: **No Data**

---

Please include the plugging report's tracking number (Tracking **#74599**) on your written request.

Texas Department of Licensing & Regulation  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880

**STATE OF TEXAS WELL REPORT for Tracking #256416**Owner: **MAR-GB Ranch LLC**Owner Well #: **3**Address: **1324 Cortlandt St  
Houston , TX 77008**Grid #: **79-14-1**Well Location: **1338 E FM 1961  
Ander , TX 77963**Latitude: **26° 51' 55" N**  
~~28° 51' 55" N~~Well County: **Goliad**Longitude: **97° 20' 936" W**  
~~98° 20' 00" W~~Elevation: **221 ft.**GPS Brand Used: **Garmin**Type of Work: **New Well**Proposed Use: **Domestic**

Drilling Date:

Started: **4/15/2011**Completed: **4/18/2011**

Diameter of Hole:

Diameter: **8 1/2 in From Surface To 72 ft**Diameter: **11 in From 72 ft To 95 ft**

Drilling Method:

**Mud Rotary**

Borehole Completion:

**Underreamed**

Annular Seal Data:

1st Interval: **From 0 ft to 72 ft with 32 (#sacks and material)**2nd Interval: **No Data**3rd Interval: **No Data**Method Used: **hand mixed and pumped**Cemented By: **Diggs Drilling**Distance to Septic Field or other Concentrated Contamination: **900 ft**Distance to Property Line: **137 ft**Method of Verification: **measured**Approved by Variance: **Diggs**

Surface Completion:

**Surface Sleeve Installed**

Water Level:

Static level: **57 ft. below land surface on 4/18/2011**Artesian flow: **No Data**

Packers:

**K-packers 68' & 70'**

Plugging Info:

Casing or Cement/Bentonite left in well: **No Data**

Type Of Pump:

**Submersible**Depth to pump bowl: **82 ft**

Well Tests:

**Pump**Yield: **25 GPM with 20 ft drawdown after 1 hour**

Water Quality:

Type of Water: **ok**Depth of Strata: **95 ft.**Chemical Analysis Made: **No**Did the driller knowingly penetrate any strata which contained undesirable constituents: **No**

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the log(s) being returned for completion and resubmittal.

Company Information: Diggs Drilling Co  
PO Box 63  
La Grange , TX 78945

Driller License Number: 2038

Licensed Well Driller Signature: J D Diggs

Registered Driller Apprentice Signature: No Data

Apprentice Registration Number: No Data

Comments: No Data

**IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY**

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking number (Tracking #256416) on your written request.

**Texas Department of Licensing & Regulation**  
P.O. Box 12157  
Austin, TX 78711  
(512) 463-7880

**DESC. & COLOR OF FORMATION MATERIAL**

From (ft) To (ft) Description  
72' to 95' yellow oxidized sand

**CASING, BLANK PIPE & WELL SCREEN DATA**

Dia.	New/Used	Type	Setting From/To
5"	New	plastic sdr	17 0-92 .015